

**WISCONSIN DEPARTMENT OF NATURAL RESOURCES
CREEL SURVEY REPORT**

**LAKE WISSOTA
CHIPPEWA COUNTY**

2019



Treaty Fisheries Publication

March 2020

INTRODUCTION

The Wisconsin Department of Natural Resources regularly conducts fishery surveys of area lakes and reservoirs to gather information on species composition, population size, reproductive success, size/age distribution, and growth rates. The information from the netting and electrofishing surveys helps the WDNR determine the best management practices for that body of water. Another important aspect of a fishery is the amount of harvest that is occurring on the lake. This information is collected by creel census or creel survey.

On lakes in the Ceded Territory of Wisconsin, harvest of fish is divided between sport anglers and the six Chippewa tribal bands. The six Chippewa tribal bands harvest fish under rights governed by federal treaties of 1837 and 1842. Most tribal fish harvest is done by spearing during a short period of time in the spring. All speared fish are individually counted by tribal creel clerks, allowing for a complete “census” of the tribal fish harvest in the spring.

Information is also collected on the effects of sport angler harvest on fish populations. Because it would be impractical and costly to conduct a complete “census” of the fish harvested by sport anglers on area lakes, a creel survey is conducted to estimate the amount of fish harvested by sports anglers.

A creel survey is a sampling tool used to measure the fishing activities of the sport anglers and to estimate the amount of fish harvested on a body of water. Creel surveys are designed to have a creel clerk on a lake, work random shifts, and forty hours each week throughout the fishing season. Each month these shifts cover a sample of all the daylight hours. Creel clerks travel their lakes using a boat, snowmobile or vehicle to count and to interview anglers.

The information collected from anglers during the interview includes the species of fish being targeted, catch and harvest, lengths of harvested fish, and hours of fishing effort. Typically, only anglers that have completed their fishing trip are interviewed because it provides the most accurate information and it avoids the need to disturb anglers while they are fishing.

You may have encountered one of the DNR creel clerks on a recent fishing trip. The survey only takes a moment of your time and we appreciate your cooperation during an interview. The information collected gives the DNR valuable knowledge required for management of the fishery.

The data collected during the survey is processed by a computer program and summarized by month to calculate estimates of the total fishing pressure, fishing effort directed at each species, catch and harvest rates, and the number of fish caught and harvested.

This creel survey report will provide you with four types of estimated information for this body of water:

1. Overall fishing pressure
2. Fishing effort directed at each species
3. Catch and harvest rates
4. Numbers of fish caught and harvested.

Also included in this report are physical information about the lake, discussion of results of this survey and detailed summaries by species.

GENERAL LAKE INFORMATION

Location

Lake Wissota is in Chippewa County east of Chippewa Falls.

Physical Characteristics

Lake Wissota is a 6300-acre reservoir on the Chippewa River with a maximum depth of 72 feet. There are 7 boat landings around the lake. The most popular landings are the Rod and Gun Club on the west side, Township landing on Little Lake Wissota, and Lake Wissota State Park in Moon Bay.

Seasons Surveyed

An open water creel survey was conducted from opening day of gamefish season on May 4, 2019 and ran through the end of October.

Harvest Regulations

The following seasons, daily bag limits, and length limits were in place on this lake in 2019-2020:

<u>Species</u>	<u>Season</u>	<u>Bag Limit</u>	<u>Min. Size</u>
Walleye	5/4-3/1	3	**
Largemouth Bass	5/4-3/1	5	14"
Smallmouth Bass	5/4-3/1	5	14"
Muskellunge	5/25-11/30	1	50"
Northern Pike	5/4-3/1	5	none
Panfish	all year	25	none
Catfish	all year	10	none
Lake Sturgeon*	9/7-9/30	1	60"

**No minimum, 14"-18" protected slot, only 1>18"

*Sturgeon must be tagged and registered

SPECIES CATCH AND HARVEST INFORMATION

Angling information is summarized on a

single page for each species. If a page for a species is not present in this section, it is because no one reported fishing for that species and/or none were caught. Each species page has up to five graphs covering the following:

FIGURE 1

ESTIMATED DIRECTED FISHING EFFORT

Total calculated number of hours during each month that anglers spent fishing for this species.

FIGURE 2

ESTIMATED DIRECTED ANGLER CATCH AND HARVEST RATES

Calculated number of hours it takes an angler to catch or harvest a fish of this species. Only information from anglers who were **specifically** targeting this species is reported here.

FIGURE 3

ESTIMATED TOTAL ANGLER CATCH AND HARVEST

Calculated number of fish of this species caught or harvested by all anglers. This estimate also includes **incidental** catch and harvest of fish by anglers that were not specifically targeting this species.

FIGURE 4

LENGTH DISTRIBUTION OF HARVESTED FISH MEASURED BY CLERK

All fish of this species measured by the clerk during the entire creel survey season.

FIGURE 5

AVERAGE LENGTH AND LARGEST FISH HARVESTED

Average length and the largest fish of

this species harvested each month.
Only those fish measured by the
creel clerk are reported here.

Spooner, WI 54801
Phone: (715)635-4164
Email: Gene.Hatzenbeler@Wisconsin.gov

Seasonal Angler Effort Summary

The table provides a summary by month of the total angler hours and total angler hours per acre. Also, the table compares county average and ceded territory average to current survey results.

ACKNOWLEDGEMENTS

The completion of this survey was possible because of the efforts of the following Treaty Assessment Staff: Gene Hatzenbeler, Todd Brecka, Misty Rood, Bill Sobaski, and Gina Winther. We would especially like to recognize the efforts of our creel clerks Justin Parker and Youa Xiong who collected the angler interviews.

The Department would like to thank John Sours and Delores Albert. They generously allowed the department to keep a boat at their property during this survey.

We would also like to thank all the anglers who took the time to offer information about their fishing trip to the survey clerk. Without your cooperation this survey would not have been possible.

Additional copies of this report and those covering other local lakes can be obtained from the Treaty Fisheries Biologist in Spooner or WDNR Webpage.

Questions about the report can be directed to
Gene Hatzenbeler
WDNR Spooner Office
810 W. Maple Street

WALLEYE

FIGURE 1. ESTIMATED DIRECTED FISHING EFFORT





FIGURE 2. ESTIMATED DIRECTED ANGLER CATCH AND HARVEST RATES




FIGURE 3. ESTIMATED TOTAL ANGLER CATCH AND HARVEST




FIGURE 4. LENGTH DISTRIBUTION OF FISH MEASURED BY CLERK





FIGURE 5. AVERAGE LENGTH AND LARGEST FISH HARVESTED



NORTHERN PIKE

FIGURE 1. ESTIMATED DIRECTED FISHING EFFORT





FIGURE 2. ESTIMATED DIRECTED ANGLER CATCH AND HARVEST RATES




FIGURE 3. ESTIMATED TOTAL ANGLER CATCH AND HARVEST




FIGURE 4. LENGTH DISTRIBUTION OF HARVESTED FISH MEASURED BY CLERK





FIGURE 5. AVERAGE LENGTH AND LARGEST FISH HARVESTED



MUSKELLUNGE

FIGURE 1. ESTIMATED DIRECTED FISHING EFFORT





FIGURE 2. ESTIMATED DIRECTED ANGLER CATCH AND HARVEST RATES




FIGURE 3. ESTIMATED TOTAL ANGLER CATCH AND HARVEST




FIGURE 4. LENGTH DISTRIBUTION OF HARVESTED FISH MEASURED BY CLERK

















FIGURE 5. AVERAGE LENGTH AND LARGEST FISH HARVESTED



SMALLMOUTH BASS



LARGEMOUTH BASS



BLUEGILL

FIGURE 1. ESTIMATED DIRECTED FISHING EFFORT





FIGURE 2. ESTIMATED DIRECTED ANGLER CATCH AND HARVEST RATES




FIGURE 3. ESTIMATED TOTAL ANGLER CATCH AND HARVEST




FIGURE 4. LENGTH DISTRIBUTION OF HARVESTED FISH MEASURED BY CLERK





FIGURE 5. AVERAGE LENGTH AND LARGEST FISH HARVESTED



BLACK CRAPPIE

FIGURE 1. ESTIMATED DIRECTED FISHING EFFORT





FIGURE 2. ESTIMATED DIRECTED ANGLER CATCH AND HARVEST RATES




FIGURE 3. ESTIMATED TOTAL ANGLER CATCH AND HARVEST




FIGURE 4. LENGTH DISTRIBUTION OF HARVESTED FISH MEASURED BY CLERK





FIGURE 5. AVERAGE LENGTH AND LARGEST FISH HARVESTED



YELLOW PERCH

FIGURE 1. ESTIMATED DIRECTED FISHING EFFORT





FIGURE 2. ESTIMATED DIRECTED ANGLER CATCH AND HARVEST RATES




FIGURE 3. ESTIMATED TOTAL ANGLER CATCH AND HARVEST




FIGURE 4. LENGTH DISTRIBUTION OF HARVESTED FISH MEASURED BY CLERK











FIGURE 5. AVERAGE LENGTH AND LARGEST FISH HARVESTED



ROCK BASS



CHANNEL CATFISH

FIGURE 1. ESTIMATED DIRECTED FISHING EFFORT





FIGURE 2. ESTIMATED DIRECTED ANGLER CATCH AND HARVEST RATES




FIGURE 3. ESTIMATED TOTAL ANGLER CATCH AND HARVEST




FIGURE 4. LENGTH DISTRIBUTION OF HARVESTED FISH MEASURED BY CLERK










FIGURE 5. AVERAGE LENGTH AND LARGEST FISH HARVESTED




FATHEAD CATFISH



TOTAL ANNUAL ANGLER DIRECTED EFFORT BY SPECIES Lake Wissota, 2019-20

This graph illustrates the percentage of time that anglers spent fishing for each species during the entire creel survey. The percentages are based on the species of fish anglers told the clerk they were fishing for, not what they actually caught. If a particular species is not present in the graph it is because no one reported they were fishing for that species.



SEASONAL ANGLER EFFORT SUMMARY

2019-20

Estimated angler fishing effort on Lake Wissota for each month surveyed

Month	Number of Angler Party Interviews	Total Angler Hours	Total Angler Hours/Acre	Chippewa County Average Hours/Acre	Ceded Territory Average Hours/Acre
May	65	18799	3.0	4.6	5.1
June	108	18651	3.0	5.5	6.4
July	91	13465	2.1	4.6	6.9
August	67	10140	1.6	3.7	5.4
September	23	7130	1.1	2.5	3.3
October	31	3617	0.6	1.0	1.5
*Summer Total	385	71801	11.4	21.9	28.6
Grand Total	385	71801	11.4	27.8	33.0

*Summer" is May-October

Number of Angler Party Interviews is the number of groups of anglers interviewed by the creel clerk. A party is considered the members of a group who fish together in the same boat, ice shanty, or from shore. The clerk fills out one interview form for each group of anglers. The number of individual anglers actually contacted by the clerk is usually much greater than the number of groups listed in this table since most groups consist of more than one angler.

Total Angler Hours is the estimated total number of hours that anglers spent fishing on this lake during each month surveyed.

Total Angler Hours/Acre is the total angler hours divided by the area of the lake in acres. This is useful if you wish to compare effort on this lake to others.

County Average Hours/Acre is the average angler effort in hours per acre for county lakes that have been surveyed since 1990. This value can be useful in comparisons as well.

Ceded Territory Average Hours/Acre is the average angler effort in hours per acre for inland lakes in the ceded territory surveyed between 1990 and 2013. This value can be used to compare this lake to other lakes in the ceded territory.

CREEL SURVEY HISTORY/SYNOPSIS

LAKE WISSOTA, CHIPPEWA COUNTY

CREEL YEAR: 2019-20

SPECIES	DIRECTED EFFORT (Hours)	PERCENT OF TOTAL	TOTAL CATCH	SPECIFIC CATCH RATE (Hrs/Fish)	TOTAL HARVEST	SPECIFIC HARVEST RATE (Hrs/Fish)	MEAN LENGTH OF HARVESTED FISH
Walleye	28722	32.1%	22771	1.5	4166	7.7	12.7
Northern Pike	1503	1.7%	1535	6.6	32	NA	23.0
Muskellunge	4540	5.1%	509	14.7	46	NA	45.5
Smallmouth Bass	12440	13.9%	11287	1.3	90	588.2	14.5
Largemouth Bass	3335	3.7%	41	NA	0	NA	NA
Bluegill	9399	10.5%	7789	1.3	2302	4.1	7.6
Black Crappie	20116	22.5%	23517	0.9	10645	1.9	10.7
Yellow Perch	173	0.2%	692	NA	107	NA	8.5
Channel Catfish	6110	6.8%	5490	1.9	2790	2.5	22.7
Flathead Catfish	3233	3.6%	151	87.7	37	87.7	19.5

*Totals for open water only, May-October

CREEL YEAR: 2006-07**

SPECIES	DIRECTED EFFORT (Hours)	PERCENT OF TOTAL	TOTAL CATCH	SPECIFIC CATCH RATE (Hrs/Fish)	TOTAL HARVEST	SPECIFIC HARVEST RATE (Hrs/Fish)	MEAN LENGTH OF HARVESTED FISH
Walleye	42429	35.0%	31497	1.4	9216	4.5	12.6
Northern Pike	2812	2.3%	2144	9.1	189	33.4	22.9
Muskellunge	13887	11.5%	1131	20.2	0	0.0	NA
Smallmouth Bass	30431	25.1%	20338	1.6	208	0.0	16.4
Largemouth Bass	11625	9.6%	980	16.2	0	NA	NA
Bluegill	5747	4.7%	8961	0.7	3324	2.1	7.5
Pumpkinseed	116	0.1%	149	1.0	0	0.0	NA
Black Crappie	8747	7.2%	5943	1.7	3445	2.8	10.1
Yellow Perch	2174	1.8%	4096	1.4	4	10.0	8.5
Lake Sturgeon	573	0.5%	26	22.0	26	22.0	50.5
Channel Catfish	2544	2.1%	1140	4.6	607	5.6	19.6

**Totals for open water only, May-October